	FEB 0 1 2008 W			
INFORMATION DISCLOSS TRANSPATION		Attorney Docket 044508-5023	Application No. 10/528,800	
(Use several sheets if necessary)		Applicants: Christopher C. Broder	et al. Page 1 of 2	
PTO Form 1449		Filing Date: March 31, 2006	Group Art Unit: 1648	
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)				
1	Bossart et al. (2001). Functional Expression Hendra Virus. Virology 290:121-135.	on and Membrane Fusion Tropism o	f The Envelope Glycoproteins of	
2		Chambers et al. (1990), Heptad repeat sequences are located adjacent to hydrophobic regions in several types of virus fusion glycoproteins. J. Gen. Virol. 71:3075-3080.		
3	Chua et al. (2000). Nipah Virus: A Recently Emergent Deadly Paramyxovirus. Science 288:1432-1435.			
4	Gosh et al. (1997). A Leucine Zipper Motif in the Ectodomain of Sendai Virus Fusion Protein Assembles in Solution and in Membranes and Specifically Binds Biologically-Active Peptides and the Virus. Biochemistry 36:15451-15462.			
5	Harcourt et al. (2001). Molecular Characterization of Nipah Virus, a Newly Emergent Paramyxovirus. Virology 271:334-349.			
6	Harcourt et al. (2001). Molecular Characterization of the Polymerase Gene and Genomic Termini of Nipah Virus. Virology 287:192-201.			
. 7	Joshi et al. (1998). A Core Trimer of the Paramyxovirus Fusion Protein: Parallels to Influenza Virus Hemagglutinin and HIV-1 gp41. Virology 248:20-34.			
8	Lambert et al. (1996). Peptides from conserved regions of paramyxovirus fusion (F) proteins are potent inhibitors of viral fusion. Proc. Natl. Acad. Sci. US 93:2186-2191.			
9	Paterson et al. (1987). Comparison of the Relative Roles of the F and HN Surface Glycoproteins of the Paramyxovirus Simian Virus 5 in Inducing Protective Immunity, J. Virol. 61:1972-1977.			
10	Rapaport et al. (1995). A synthetic peptide corresponding to a conserved heptad repeat domain is a potent inhibitor of Sendai virus-cell fusion: an emerging similarity with functional domains of other viruses. EMBO 14: 5524-551.			
11				
12	Wild et al. (1997). Inhibition of measles virus infection and fusion with peptides corresponding to the leucine zipper region of the fusion protein. J. Gen. Virol. 78: 107-111.			
13	Glycoproteins on Cell Surfaces. J. Virol. 7			
14	Young et al. (1997). Analysis of Peptide Inhibitor of Paramyxovirus (NDV) Fusion Using Biological Assays, NMR, and Molecular Modeling. Virology 238: 291-304.			
15	Young et al. (1999). Interaction of Peptides with Sequences from the Newcastle Disease Virus Fusion Protein			
vaminer	Heptad Repeat Regions. J. Virol. 73: 5954-5956.			

Examiner

Date Considered

/Benjamin Blumel/

04/12/2008

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.